

NOV 20 2002

510(k) Summary

K021444

Submitter: Cynosure, Inc.
10 Elizabeth Drive
Chelmsford, MA 01824

Contact: George Cho

Date Summary Prepared: November 20, 2002

Device Trade Name: PhotoGenica sV

Common Name: Medical Laser System

Classification Name: Instrument, surgical, powered, laser
79-GEX
21 CFR 878.48

Equivalent Device: PhotoGenica V

Device Description: The PhotoGenica sV is a pulse-dye laser, having the organic dye as the lasing medium. It is pulsed dye laser with a wavelength of 585nm.

Laser activation is by footswitch. Overall weight of the laser is 285lbs. and the size is 44"x19"x24" (HxWxD).

Electrical requirement is 110 VAC or 220 VAC, 20A, 50-60 Hz, single phase.

Intended Use: The PhotoGenica sV is indicated for treatment of recurrent respiratory papillomatosis of the glottis.

Comparison: The PhotoGenica sV laser has an equivalent indication for uses, the same principle of operation, the same wavelength and pulse energy range as the predicate devices.

Conclusion: The PhotoGenica sV laser is another safe and effective device for soft tissue application.

Additional Information: None.



NOV 20 2002

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Cynosure, Inc.
George Cho
Senior Vice President
10 Elizabeth Drive
Chelmsford, Massachusetts 01824

Re: K021444

Trade/Device Name: Cynosure PhotoGenica sV Laser
Regulation Number: 878.4810
Regulation Name: Powered surgical laser instrument
Regulatory Class: Class II
Product Code: GEX
Dated: August 21, 2002
Received: August 22, 2002

Dear Mr. Cho:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the


Page 2 – Mr. George Cho

quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



for Celia M. Witten, Ph.D., MD
Director
Division of General, Restorative
and Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): K021444

Device Name: Cynosure PhotoGenica sV Laser

Indications For Use:

The PhotoGenica sV laser is indicated for the treatment of recurrent respiratory papillomatosis of the glottis.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF
NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Miriam C. Provost
(Division Sign-Off)
Division of General, Restorative
and Neurological Devices

510(k) Number K021444

Prescription Use ☒

OR

Over-The-Counter Use ☐